




April 18, 2008

Mr. Kevin Harlow Virginia Department of Environmental Quality West Central Regional Office 3019 Peters Creek Road Roanoke, Virginia 24019



Re:

BP Products North America - Montvale

VPDES Permit VA0054577 Renewal Application

Dear Mr. Harlow:

Please find enclosed our VPDES permit renewal application for permit VA0054577. I have enclosed the original and 3 copies as requested.

If you have any questions, or require additional information, please do not hesitate to contact Michael Bedwell, BP Terminal Manager, at (540) 947-2227, or Robert Tworkowski, BP HSSE Advisor, at (410) 636-6416.

Sincerely,

BP Products NA, Inc.

Michael Bedwell Terminal Manager

.cc Robert Tworkowski - BP HSSE Advisor


1. Entity to whom the permit is to be issued: BP Products North America. Theoreore Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.
2. Is this facility located within city or town boundaries? Y
3. Provide the tax map parcel number for the land where the discharge is located. 876-(-50), 18-21
4. For the facility to be covered by this permit, how many acres will be disturbed during the next fine years due to new construction activities?
5. What is the design average effluent flow of this facility? ~ 1.25 MGD For industrial facilities, provide the max. 30-day average production level, include units: NIA
In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? YN If "Yes", please identify the other flow tiers (in MGD) or production levels: N/A Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?
6. Nature of operations generating wastewater: Surface Links Flow across bulk petroleum terminal Facility. 8 % of flow from domestic connections/sources Number of private residences to be served by the treatment works: NIA
100% of flow from non-domestic connections/sources
7. Mode of discharge:Continuous X Intermittent Seasonal Describe frequency and duration of intermittent or seasonal discharges: Discharge is Continuent upon rain/snowfall events; duration of discharge
B. Identify the characteristics of the receiving stream at the point just above the facility's discharge point: X Permanent stream, never dry Intermittent stream, usually flowing, sometimes dry Ephemeral stream, wet-weather flow, often dry Effluent-dependent stream, usually or always dry without effluent flow Lake or pond at or below the discharge point Other:
. Approval Date(s): O & M Manual 03/09/2000 Sludge/Solids Management Plan N/A


Have there been any changes in your operations or procedures since the above approval dates? Y

VPDES Permit Application Addendum

	ype in the unshad	ded areas only.						Form Approved. OMB No. 2040-0	086.			
FORM	0.504	U.S. ENVIR						I. EPA I.D. NUMBER				
1 GENERAL	⊗EPA	Co	nsolid	lated F	IFORMA' Permits Prog ructions" befo	ırar	m	F 110008997032			T/A	C D
	L	Treas Inc	- Concre		actions bejo		siuring.y	1 2 GENERAL INSTRU	ICTION	13	14	15
	LITEMS							If a preprinted label has been designated space. Review the inform	provide nation o	ed, affi carefull	y; if any	of it
	NUMBER							is incorrect, cross through it and en appropriate fill-in area below. Also, if is absent (the area to the left of	any of the lat	the pre	eprinted	data s the
	MAILING	PLEASE	E PLAC	CELA	BEL IN THI	SS	SPACE	information that should appear), plea fill-in area(s) below, if the label is o	ase prov	vide it i te and	n the pi	roper . vou
ADDRES								need not complete Items I, III, V, a must be completed regardless). Con has been provided. Refer to the ins	nplete a struction	all item	s if no detailed	label item
1000	LOCATION	Tion						descriptions and for the legal authordata is collected.	rization	s unde	r which	ı this
	CHARACTERIS								L			
you answer "no	n and the supple o" to each questio	mental form listed in the pare	inthesi f these	is follo: e forms	wing the qu s. You may	esti ans	ion Mark "X" in the box in t	he EPA. If you answer "yes" to ar the third column if the supplemer excluded from permit requirement	ntal for	rm ie e	attacho	A If
			F	Mari		Γ				_	k 'X'	
Δ le this facility	SPECIFIC QU	JESTIONS ned treatment works which	YES	NO	FORM ATTACHED	_		QUESTIONS	YES	NO	ATTAC	₹M CHED
results in a d	lischarge to wate	ers of the U.S.? (FORM 2A)	16	X 17	18	D.	include a concentrated	(either existing or proposed) animal feeding operation or ion facility which results in a	19	X		
		tly results in discharges to		<u> </u>		D.		(other than those described in A	19	20	21	
waters of the above? (FOF		n those described in A or B	X 22	23	24		or B above) which will res the U.S.? (FORM 2D)	ult in a discharge to waters of	25	26	27	
		reat, store, or dispose of				F.		ect at this facility industrial or	25	28	21	
nazardous v	wastes? (FORM	3)	28	29	30			ow the lowermost stratum puarter mile of the well bore, rinking water? (FORM 4)	31	X 32	33	
G. Do you or wi	Il you inject at thi	s facility any produced water				Н.		at this facility fluids for special		32		-
connection w	ith conventional	brought to the surface in oil or natural gas production,		$ \mathbf{x} $				of sulfur by the Frasch process, als, in situ combustion of fossil		V		
		ed recovery of oil or natural age of liquid hydrocarbons?		´`			fuel, or recovery of geothe					
(FORM 4)		go o ilquia figurocarbono.	34	35	36				37	38	39	
		ionary source which is one listed in the instructions and				J.		d stationary source which is ustrial categories listed in the				
which will po	otentially emit 10	00 tons per year of any air Clean Air Act and may affect		X			instructions and which will	Il potentially emit 250 tons per	1	X		
		area? (FORM 5)	40	41	42			gulated under the Clean Air Act cated in an attainment area?	43	44	45)
III. NAME OF	FACILITY						(1 0 1 (1) 0)					
SKIP BE	Products	North America,	In	cor	 porate	d d	- Montvale Ter	minal	7"			
15 16 - 29 30				-		_			69			
IV. FACILITY	CONTACT											
С	 	A. NAME & TITLE (last,	first, c	& title)		_		B. PHONE (area code & no.)	4			
2 Bedwel	l', Michae	1, Terminal Man	ag'e:	r' '		'		(540) 947-222 ' '				
V.FACILTY MAI	LING ADDRESS						45 4	6 48 49 51 52- 5	55			
		A. STREET OR P.	O. BO	Х								
3 1070 Oi	l Ll Termina	al Road										
15 16							45				1	
	, , - , ,	B. CITY OR TOWN			· · · · · · · · · · · · · · · · · · ·		C. STATE	D. ZIP CODE				
4 Montval	le '''					ı		122				
VI. FACILITY L	OCATION						40 41 42 47	51				
	A. STR	EET, ROUTE NO. OR OTHE	R SPE	CIFIC	IDENTIFIE	R						
1070 O	il Termin	al Road		1 1	1 1 1	ı						
15 16							45					
7- 1		B. COUNTY	NAME	E		_						
Bedford *					· · · · · · · · · · · · · · · · · · ·	_		70				
c1 T		C. CITY OR TOWN				_	D. STATE E	E. ZIP CODE F. COUNTY CO	DDE (i)	f know	n)	
6 Montval	lé'''		1 1	1 1	1 1 1	ı	'	122				

CONTINUED FROM THE FRONT	
VII. SIC CODES (4-digit, in order of priority)	D 0500VD
A. FIRST C (specify) Petroleum Bulk Stations & Terminals	B. SECOND
7 5171 1 5171	7
15 16 - 19 C. THIRD	15 16 19 D. FOURTH
c (specify)	D. FOORTH
7	[7]
15 16 19 VIII. OPERATOR INFORMATION	15 16 - 19
A. NAME	B.Is the name listed in Item
	VIII-A also the owner?
8 BP Products North America, Incorporated	☑ YES ☐ NO
C. STATUS OF OPERATOR (Enter the appropriate letter into the	
	answer box: if "Other," specify.) D. PHONE (area code & no.) pecify) c
M = PUBLIC (other than federal or state) D	(540) 947-2227
P = PRIVATE O = OTHER (specify)	
E. STREET OR P.O. BOX	15 6 - 18 19 - 21 22 - 26
E. STREET ON F.O. BOX	
1070 Oil Terminal Road	
26	55
F. CITY OR TOWN	G. STATE H. ZIP CODE IX. INDIAN LAND
Montualo	Is the facility located on Indian lands?
B Montvale	VA 24122 ☐ YES Ø NO
15 16	40 41 42 47 - 51
X. EXISTING ENVIRONMENTAL PERMITS	Karaura (m. P. a. d. C. a. d. d. C. a. d. C. a. d. C. a. d. a. d. C. a. d. a.
A. NPDES (Discharges to Surface Water) D. PSD (Air En	nissions from Proposed Sources)
9 N VA0054577 9 P	
15 16 17 18 30 15 16 17 18	30
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)
	(specify) Stationary Source Permit to Operate
90	
15 16 17 18 30 15 16 17 18 C. RCRA (Hazardous Wastes)	30 E. OTHER (specify)
<u> </u>	(specify)
9 R 9 9 9	
15 16 17 18 30 15 16 17 18	30
XI. MAP	
Attach to this application a topographic map of the area extending to at least one	mile beyond property boundaries. The map must show the outline of the facility, the of its hazardous waste treatment, storage, or disposal facilities, and each well where it
injects fluids underground. Include all springs, rivers, and other surface water bodies	in the map area. See instructions for precise requirements.
XII. NATURE OF BUSINESS (provide a brief description)	. '
	y. Petroleum product is received by underground pipeline
and stored in aboveground storage tanks located within	
distribution.	
XIII. CERTIFICATION (see instructions)	
I certify under penalty of law that I have personally examined and am familiar with t	he information submitted in this application and all attachments and that, based on my
inquiry of those persons immediately responsible for obtaining the information containing	nined in the application, I believe that the information is true, accurate, and complete. I
am aware that there are significant penalties for submitting false information, including	
A. NAME & OFFICIAL TITLE (type or print) B. SIGNATURE	C. DATE SIGNED
Michael Bedwell	04/18/2008
Terminal Manager	Lewell 104/18/2008
COMMENTS FOR OFFICIAL USE ONLY	- 1
C CONTINUENTS FOR OFFICIAL USE UNLY	





EPA I.D. NUMBER (copy from Item 1 of Form 1) 110008997032 Form Approved.
OMB No. 2040-0086.
Approval expires 3-31-98.

Please print or type in the unshaded areas only.

y.

2C SEPA

U.S. ENVIRONMENTAL PROTECTION AGENCY APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURE OPERATIONS Consolidated Permits Program

NPDES)					_	Consolidated	Permits Program		
I. OUTFAI	L LOCATION	l i								-
For each	outfall, list the	latitude and	longitude of it	s location to	the nearest 1	5 seconds ar	d the name o	f the receiving water.		
A. OUTFA	LL NUMBER		B. LATITUDE		(C. LONGITUE	ΣE			
	list)	1. DEG.	2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.	D. RECEIVING W	AIER (name)	_
101 -	via 001	37	22	58	79	44	21	South Fork Goose Cree	k	
!						Ì				
II. FLOWS	, SOURCES	OF POLLUTI	ON, AND TRI	EATMENT T	ECHNOLOGI	ES				
labeled treatm source	d to correspon ent units, and s of water and	id to the more outfalls. If a d any collection	e detailed des water balance on or treatme	criptions in It e cannot be o nt measures.	tem B. Constr determined (<i>e</i>	ruct a water b e.g., for certai	alance on the n mining activ	perations contributing wastewater to the line drawing by showing average flow ities), provide a pictorial description of	s between intakes f the nature and ar	s, operations, mount of any
B. For ea and st necess	orm water rui	ovide a descr noff; (2) The	ription of: (1) a average flow	All operation v contributed	s contributing by each op	wastewater eration; and	to the effluent (3) The treat	t, including process wastewater, sanit ment received by the wastewater. Co	ary wastewater, co ontinue on addition	ooling water, nal sheets if
1. OUT-		2. OPER	RATION(S) CO	ONTRIBUTIN	G FLOW			3. TREATMENT		-
FALL NO. (list)	a.	OPERATION	l (list)	b.	AVERAGE F			a. DESCRIPTION		DES FROM E 2C-1
101 -	Stormwater	from truck	loading area	0.01 MGI)		Oil/Water S	Separator	1	н
via	Loading rac	k wash wate	r	0.0002	MGD		Oil/Water S	Separator	1	н
001										n
	_									
			-							
				-		•				
						,=				<u> </u>
							<u> </u>			
										ļ
		•							- 	
				-				-		
				_						
										<u> </u>
									!	
	.=									
										-
		,								
						-				ļ
					_					
OFFICIAL	USE ONLY (effluent guidel	ines sub-catego	ories)						

CONTINUED FR												
C. Except for st		leaks, or spi lete the follow		f the di	scharges de		Items II-A or B in		sonal?			
	TES (comp		ving lable)				REQUENCY	tilon III)	<u></u> .	4. FLOW		
					<u> </u>	a, DAYS PEI				B. TOTA	L VOLUME	
1 OUTEAU		2. OF	ERATION(s)	ı		WEEK	b. MONTHS PER YEAR	a. FLOW RA			with units)	C. DURATION
1. OUTFALL NUMBER (list)]	CONTRI	(list)	,	ļ	(specify average)	(specify average)	1. LONG TERM AVERAGE	2. MAXIMUM DAILY	1. LONG TERI AVERAGE	A 2. MAXIMUN DAILY	(in days)
					1							
i												
İ												
					i							
III. PRODUCTIO	ON								1			
A. Does an efflo	uent guidelir	ne limitation	promulgated	by EP	A under Sec	ction 304 of	f the Clean Water	r Act apply to yo	ur facility?			
	YES (comp	lete Item III-l	B)				NO (go to Se	ction IV)				
B. Are the limit	ations in the	applicable	effluent guide	line ex	pressed in t		oduction (or other		eration)?			
<u> </u>		lete Item III-0					NO (go to Se				A	
			list the quant dicate the aff			nts an actu	al measurement	or your level or	production, ex	pressed in the	terms and ur	its used in the
			1. AV	ERAG	E DAILY PF	RODUCTIO	N			2. AI	FECTED OU	TFALLS
a. QUANTITY	PER DAY	b. UNITS	OF MEASU	RE	1	c. OPERAT	TION, PRODUCT (specify)	, MATERIAL, E	TC.		list outfall num	
							(specify)		-	-		
		İ		1								
				İ								
		ļ		1								
				1								
IV. IMPROVEM	MENTS	1					***		-			
A. Are you no	w required	by any Fed	deral, State o	or local	l authority t	to meet an	ny implementation	n schedule for t	the construction	on, upgrading	or operations	of wastewater
treatment e	quipment or litions, admi	· practices or nistrative or	r any other er enforcement	nvironn orders	nental progr , enforceme	ams which ent complia	may affect the dince schedule lett	ischarges descri ers, stipulations	bed in this app court orders,	olication? This and grant or lo	includes, but i an conditions.	s not limited to,
	3	olete the follo					NO (go to Ite		·			
1. IDENTIFICA	ATION OF C	ONDITION.	2. AFI	FECTE	D OUTFAL	LS		- DECODIDEION	1 OF DDO 150	_ 4	FINAL COMP	LIANCE DATE
	EMENT, ET		a. NO.		JRCE OF DIS		3. BRIEF	F DESCRIPTION	NOF PROJEC	' ⊢	REQUIRED	b. PROJECTED
<u> </u>			a. IVO.	D. 300	JRCE OF DIG	SCHARGE	, <u>-</u>			a.	KEGOIKED	B. I NOULOTED
											ľ	
				ļ								
				Ì		1						
B. OPTIONAL	: You may	attach addi	tional sheets	descr	ibing any a	dditional w	vater pollution co	ontrol programs	(or other env	ironmental pro	jects which r	nay affect your
discharges) construction		ave underwa	ay or which y	ou plar	n. Indicate v	vnetner eac	ch program is no	w underway or p	nanned, and in	iuicate your ac	tual or planne	u scriedules for
	7	IF DESCRI	PTION OF A	DITIC	NAL CONT	ROL PRO	GRAMS IS ATTA	CHED	-			

EPA I.D. NUMBER (copy from Item 1 of Form 1)

CONTINUED FROM PAGE 2

110008997032

V. INTAKE AND EFFLUENT CHARACTE	RISTICS		
NOTE: Tables V-A, V-B, and	eding – Complete one set of tables for each o V-C are included on separate sheets number	ed V-1 through V-9.	
D. Use the space below to list any of the from any outfall. For every pollutant your control of the from any outfall.	pollutants listed in Table 2c-3 of the instruct ou list, briefly describe the reasons you believ	tions, which you know or have reason to be e it to be present and report any analytical	elieve is discharged or may be discharged data in your possession.
1. POLLUTANT	2. SOURCE	1. POLLUTANT	2. SOURCE
Xylene	Petroleum products stored at facility		
2/14/08- Sample A:	[Lucilian		
o-Xylene- 233(ug/L) m,p-Xylenes- 207 (ug/L)			
Xylenes, Total- 441 (ug/L)			
Sample B: o-Xylene- 200(ug/L)			
m,p-Xylenes- 227 (ug/L) Xylenes, Total- 428 (ug/L)			
Sample C:			
o-Xylene- 205(ug/L) m,p-Xylenes- 236 (ug/L)			
Xylenes, Total- 442 (ug/L)			
			•
]			
VI. POTENTIAL DISCHARGES NOT COV			
YES (list all such pollutants	nce or a component of a substance which yo	ou currently use or manutacture as an interi NO (go to Item VI-B)	mediate or final product or byproduct?
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, -n-
1			
1			

CONTINUED FROM THE FRONT

VII. BIOLOGICAL TOXICITY TESTING DATA			
Do you have any knowledge or reason to beli relation to your discharge within the last 3 years.	eve that any biological test for acute or chronic toxici ars?	ty has been made on any of your dis	scharges or on a receiving water in
YES (identify the test(s) and des		NO (go to Section VIII)	
Outfall 101 - Via 001 is samp	oled on a semi-annual basis via an g Ceriodaphnia dubia). This analys	Acute Whole Effluent To	
VIII. CONTRACT ANALYSIS INFORMATION			
	performed by a contract laboratory or consulting firm	·	
YES (list the name, address, an each such laboratory or fir	d telephone number of, and pollutants analyzed by, m below)	NO (go to Section IX)	
A. NAME	B. ADDRESS	C. TELEPHONE (area code & no.)	D. POLLUTANTS ANALYZED (list)
Air Water & Soil Laboratories,	2109-A North Hamilton Street, Richmond Virginia 23230	, 804.35.8295	Xylene (Constituents listed in Part V)
IX. CERTIFICATION			
I certify under penalty of law that this docum qualified personnel properly gather and ev- directly responsible for gathering the inform- are significant penalties for submitting false	nent and all attachments were prepared under my dir aluate the information submitted. Based on my inqu ation, the information submitted is, to the best of my information, including the possibility of fine and impri	uiry of the person or persons who knowledge and belief, true, accurate conment for knowing violations.	manage the system or those persons
A. NAME & OFFICIAL TITLE (type or print)		B. PHONE NO. (area code & no.)	
Michael Bedwell, Terminal Man		(540) 947-2227	
C. SIGNATURE	Juel	D. DATE SIGNED 04/18/2008	

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (*use the same format*) instead of completing these pages.

SEE INSTRUCTIONS.

EPA I.D. NUMBER (copy from Item 1 of Form 1)
110008997032

SEE INSTRUCTIONS.	o uno sanno ronnari	Illateda of comple	only most pages			110008997032	97032						
V. INTAKE AND EFFLUENT CHARACTERISTICS (continued from page 3 of Form 2-C)	UENT CHARACTE	ERISTICS (contin	ued from page 3 c	of Form 2-C)							1	OUTFALL NO.	
PART A -You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for	ovide the results of	at least one anal	ysis for every poll	utant in this table	. Complete one	table for each o	utfall. See instru	ctions for addit	additional details.				
				2. EFFLUENT	NT				3. UNITS (specify if blank)	TS blank)	4	4. INTAKE (optional)	
	a. MAXIMUM	a. MAXIMUM DAILY VALUE	b. MAXIMUM 30 DAY VALUE (if available)	0 DAY VALUE	5	LONG TERM AVRG. VALUE (if available)					a. LONG TERM AVERAGE VALUE		
1. POLLUTANT	(1) CONCENTRATION	IN (2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	RATION	(2) MASS	ANALYSES	TRATION	b. MASS	(1) CONCENTRATION	(2) MASS /	ANALYSES
a. Biochemical Oxygen Demand (BOD)	ω				ω			2	mg/L		N/A		
b. Chemical Oxygen Demand (<i>COD</i>)	22.0				21.7	7		N	mg/L		N/A		
c. Total Organic Carbon (TOC)	on 6.4				5.08	8		80	mg/L		N/A		
d. Total Suspended Solids (TSS)	11.8				11.6	or		2	mg/L		N/A		
e. Ammonia (as N)	<0.1				<0.1	<u> </u>		ч	mg/L		N/A		
f. Flow	VALUE ~1.	. 25	VALUE ~1.	25	VALUE	~1.25		M/N	MGD		VALUE N/A		
g. Temperature (winter)	VALUE 11.	. 72	.TT 11.	72	VALUE	11.57		3	ာင		VALUE N/A		
h. Temperature (summer)	VALUE 29).0	VALUE 29	. 0	VALUE	25.7		6	ာင		VALUE N/A		
i. pH	MINIMUM 7.22	MAXIMUM 8.89	MINIMUM 7.41	MAXIMUM 8.89				9	STANDARD UNITS	UNITS			
PART B - Mark "X" in directly, or quantitativ	Mark "X" in column 2-a for each pollutant you know or have reason to believe is present. Mark "X" in column 2-b for each pollutant you believe to be absent. If you mark column 2a for any pollutant which is limited either directly, or indirectly but expressly, in an effluent limitations guideline, you must provide the results of at least one analysis for that pollutant. For other pollutants for which you mark column 2a, you must provide quantitative data or an explanation of their presence in your discharge. Complete one table for each outfall. See the instructions for additional details and requirements.	ach pollutant you h ressly, in an efflu nation of their pres	know or have reas uent limitations gu sence in your disc	son to believe is p ideline, you mus harge. Complete	present. Mark "X" st provide the re one table for ea	" in column 2-b sults of at leas ch outfall. See t	for each pollutar t one analysis for he instructions for	nt you believe tor that pollutar or additional de	o be absent. If it. For other po stails and requi	you mark colu silutants for w rements.	ımn 2a for any polli hich you mark col	rtant which is lir umn 2a, you mu	nited either ust provide
1. POLLUTANT 2	2. MARK "X"			3.	3. EFFLUENT	C LONG TERM	AVRG VALUE		4. U	4. UNITS	5. INTAKE (optio	5. INTAKE (optional)	
		a. MAXIMUM DAILY VALUE	-	b. MAXIMUM 30 DAY VALUE (if available)	↓_	c. LONG TERM	c. LONG LERM AVRG. VALUE (if available)	d. NO. OF		-	a. LONG TERM A		b. NO. OF
(if available) PRESENT	ABSENT	CONCENTRATION	(2) MASS C	CONCENTRATION	(2) MASS	CONCENTRATION	V (2) MASS	ANALYSES	TRATION	b. MASS	CONCENTRATION	(2) MASS	ANALYSES
(24959-67-9)	×												
b. Chlorine, Total Residual	×												
c. Color	×												
d. Fecal Coliform	×												
e. Fluoride (16984-48-8)	×												
f. Nitrate-Nitrite		0.22		0.22		0.21		2	mg/L				

EPA Form 3510-2C (8-90)

ITEM V-B CONTINUED FROM FRONT	INUED FRO	M FRONT												
	2. MARK "X"	₹ ×			3.	3. EFFLUENT				4. UNITS	S	5, INT/	5. INTAKE (optional)	
1. POLLUTANT	èn	ġ.	a. MAXIMUM DAILY VALUE	LY VALUE	b. MAXIMUM 30 DAY VALUE (if available)	DAY VALUE	c. LONG TERM AVRG. VALUE (if available)	/RG. VALUE) 			a. LONG TERM AVERAGE VALUE		
(if available)	BELIEVED PRESENT	BELIEVED ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	ANALYSES	TRATION	b. MASS	(1) CONCENTRATION	ASS	ANALYSES
g. Nitrogen, Total Organic (as N)	X		0.5		0.5		0.5		2	mg/L				
h. Oil and Grease		\times							:				:	
i. Phosphorus (as P), Total (7723-14-0)	X		0.07		0.07		0.07		2	mg/L				
j. Radioactivity														
(1) Alpha, Total		×				:								
(2) Beta, Total		×												
(3) Radium, Total		X												
(4) Radium 226, Total		×												
k. Sulfate (<i>as SO_s</i>) (14808-79-8)		X												
I. Sulfide (as S)		×												
m. Sulfite (as SO ₃) (14265-45-3)		X												
n. Surfactants		×												
o. Aluminum, Total (7429-90-5)		×												
p. Barium, Total (7440-39-3)		X												
q. Boron, Total (7440-42-8)		X												
r. Cobalt, Total (7440-48-4)		×												
s. Iron, Total (7439-89-6)		X												
t. Magnesium, Total (7439-95-4)		X		1										
u. Molybdenum, Total (7439-98-7)		X												
v. Manganese, Total (7439-96-5)		×												
w. Tin, Total (7440-31-5)		X												
x. Titanium, Total (7440-32-6)		X												

EPA I.D. NUMBER (copy from Item 1 of Form 1) OUTFALL NUMBER

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2-a for all such GC/MS fractions; mark "X" in column 2-b for each pollutant you know or have reason to believe is present. Mark "X" in column 2-c for each pollutant you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for any pollutant, you must provide the results of at least one analysis of the pollutant you believe it will be discharged in concentrations of 10 ppb or greater. If you mark column 2b for acrolein, acrylonititle, 2.4 dinitrophenol, or 2-methyl-4, 6 dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or biefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (all 7 pages) for each outfall. See instructions for CONTINUED FROM PAGE 3 OF FORM 2-C 110008997032 101 - Via 001

addition	additional details and requirements.	ements.												
	2. MARK "X"	,"X"			3. E	3. EFFLUENT				4. UNITS	ITS	5. INTAKE (optional)	(optional)	
1. POLLUTANT AND	έ è	ი	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)	DAY VALUE	c. LONG TERM AVRG. VALUE (if available)		; ;			a. LONG TERM AVERAGE VALUE		;
(if available)	REQUIRED PRESENT	ED BELIEVED			(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION (2) MASS	(2) MASS	ANALYSES	TRATION	b. MASS	CONCENTRATION (2	(2) MASS AN	ANALYSES
METALS, CYANID	METALS, CYANIDE, AND TOTAL PHENOLS	NOLS												
1M. Antimony, Total (7440-36-0)		X												
2M. Arsenic, Total (7440-38-2)		×												
3M. Beryllium, Total (7440-41-7)		×												
4M. Cadmium, Total (7440-43-9)		×												
5M. Chromium, Total (7440-47-3)		×												
6M. Copper, Total (7440-50-8)		×												
7M. Lead, Total (7439-92-1)		×												
8M. Mercury, Total (7439-97-6)		×												
9M. Nickel, Total (7440-02-0)		×												
10M. Selenium, Total (7782-49-2)		×												
11M. Silver, Total (7440-22-4)		×												
12M. Thallium, Total (7440-28-0)		×										i		
13M. Zinc, Total (7440-66-6)		×												
14M. Cyanide, Total (57-12-5)		×	:											
15M. Phenols, Total		×												
DIOXIN														
2,3,7,8-Tetra- chlorodibenzo-P-		\times	DESCRIBE RESULTS	JLTS										
		ļ												

Chloride (74-87-3)	Bromide (74-83-9)	19V. Ethylbenzene (100–41–4)	18V. 1,3-Dichloro- propylene (542-75-6)	17V. 1,2-Dichloro- propane (78-87-5)	16V. 1,1-Dichloro- ethylene (75-35-4)	15V. 1,2-Dichloro- ethane (107-06-2)	14V. 1,1-Dichloro- ethane (75-34-3)	13V. Dichloro- difluoromethane (75-71-8)	12V. Dichloro- bromomethane (75-27-4)	11V. Chloroform (67-66-3)	10V. 2-Chloro- ethylvinyl Ether (110-75-8)	9V, Chloroethane (75-00-3)	8V. Chlorodi- bromomethane (124-48-1)	7V. Chlorobenzene (108-90-7)	6V. Carbon Tetrachloride (56-23-5)	5V. Bromoform (75-25-2)	4V. Bis (<i>Chloro-methyl</i>) Ether (542–88-1)	3V. Benzene (71-43-2)	2V. Acrylonitrile (107-13-1)	1V. Accrolein (107-02-8)	GC/MS FRACTION - VOLATILE COMPOUNDS	(if available) R		
														_							VOLATILE COMP	REQUIRED PRESENT	a. D.	2. MARK "X"
>	$\langle \times$	×	X	×	×	×	×	×	×	X	×	×	X	×	×	×	X	×	×	×	SDNDO	ABSENT ABSENT	ဂ	,
		Annahum enterlation of the spin or the spin of the spin or the spi																				(1) CONCENTRATION (2) MASS	a. MAXIMUM DAILY VALUE	
																						CONCENTRATION	b. MAXIMUM 30 DAY VALUE (if available)	
																						(2) MASS CC	t	1
																		1		-	1	(1) CONCENTRATION (2) MASS	c. LONG TERM AVRG. VALUE (if available)	
																				-		ANALYSES		
	į															.						TRATION		
													-									b. MASS		
																						(1) CONCENTRATION	a. LONG TERM AVERAGE VALUE	
																						(2) MASS		200
																						ANALYSES	2 2 2 2 2 2	

CONTINUED FROM PAGE V-4

CONTINUED FROM PAGE V-4	4													
	2. MARK "X"				3. EF	3. EFFLUENT				4. UNITS	TS	5. INTAK	5. INTAKE (optional)	
) b	i i i	a. MAXIMUM DAILY VALUE	↓	b. MAXIMUM 30 DAY VALUE (if available)	AY VALUE	c. LONG TERM AVRG. VALUE (if available)					a. LONG TERM AVERAGE VALUE		NO OF
(if available) REQUIRED	PRESENT	ABSENT	(1) CONCENTRATION (2) N	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION (2) MASS		ANALYSES	TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	ANALYSES
GC/MS FRACTION - VOLATILE COMPOUNDS (continued)	LE COMPOUN	IDS (cont	mued)											
22V. Methylene Chloride (75-09-2)		X												
23V. 1,1,2,2- Tetrachioroethane (79-34-5)		X												
24V. Tetrachloro- ethylene (127-18-4)		X												
25V. Toluene (108-88-3)	X		171		171		56		9	ug/L				
26V. 1,2-Trans- Dichloroethylene (156-60-5)		X												
27V. 1,1,1-Trichloro- ethane (71-55-6)		X												
28V. 1,1,2-Trichloro- ethane (79-00-5)		X												
29V Trichloro- ethylene (79-01-6)		X												
30V. Trichloro- fluoromethane (75-69-4)		X			,									
31V. Vinyl Chloride (75-01-4)		X												
GC/MS FRACTION - ACID COMPOUNDS	OMPOUNDS													
1A. 2-Chlorophenol (95-57-8)		X												
2A. 2,4-Dichloro- phenol (120-83-2)		X												
3A. 2,4-Dimethyl- phenol (105-67-9)		X					•	· · · ,						
4A. 4,6-Dinitro-O- Cresol (534-52-1)		X			:									
5A. 2,4-Dinitro- phenol (51-28-5)		X												
6A. 2-Nitrophenol (88-75-5)		X												
7A. 4-Nitrophenol (100-02-7)		X												
8A. P-Chloro-M- Cresol (59-50-7)		X												
9A. Pentachloro- phenol (87-86-5)		X												
10A. Phenol (108-95-2)		X							:					
11A. 2,4,6-Trichloro- phenol (88-05-2)		X												
													i .	!!!!

CONTINUED FROM THE FRONT

CONTINUED FROM FAGE V-6	PAGE V-0									
1. POLLUTANT	2. MARK "X"			3. EFFLUENT	7	-	4. UNITS	NITS	5. INTAKE (optional)	(optional)
	à	ប	a. MAXIMUM DAILY VALUE	b. MAXIMUM 30 DAY VALUE (if available)	VALUE (if available)	<u> </u>			AVERAGE VALUE	
	REQUIRED PRESENT	ABSENT	(1) CONCENTRATION (2) MASS	(1) CONCENTRATION (2) MASS	(1) CONCENTRATION (2) MASS	ANALYSES	TRATION	b. MASS	(1) CONCENTRATION (2)	(2) MASS ANALYSES
GC/MS FRACTION -	GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (continued)	MPOUNE								
22B. 1,4-Dichloro- benzene (106-46-7)		×								
23B. 3,3-Dichloro- benzidine (91-94-1)		\times								
24B. Diethyl Phthalate (84-66-2)		\times		-						
25B. Dimethyl Phthalate (131 -11-3)		\times								
26B. Di-N-Butyl Phthalate (84-74-2)		\times								
27B. 2,4-Dinitro- toluene (121-14-2)		\times		100						
28B. 2,6-Dinitro- toluene (606-20-2)		X								
29B. Di-N-Octyl Phthalate (117-84-0)		X								
30B. 1,2-Diphenyl- hydrazine (as Azo- benzene) (122-66-7)		×								
31B. Fluoranthene (206-44-0)		X								
32B. Fluorene (86-73-7)		X								
33B. Hexachloro- benzene (118-74-1)		X								
34B. Hexachloro- butadiene (87-68-3)		X								
35B. Hexachloro- cyclopentadiene (77-47-4)		\times								
36B Hexachloro- ethane (67-72-1)		X								
37B. Indeno (1,2,3-cd) Pyrene (193-39-5)		\times								
38B. Isophorone (78-59-1)		×								
39B. Naphthalene (91-20-3)		X								
40B. Nitrobenzene (98-95-3)		X								
41B. N-Nitro- sodimethylamine (62-75-9)		×								
42B. N-Nitrosodi- N-Propylamine (621-64-7)		X								

CONTINUED FROM THE FRONT

CONTINOED	704													
1 POLLUTANT	2. MARK "X"			5	3. EF	3. EFFLUENT	2 I ONG TERM	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		4. UNITS	IIs	5. INTA	5. INTAKE (optional)	
	ò	Ն	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)	AY VALUE	c. LONG TERM AVRG. VALUE (if available)		5			a. LONG TERM AVERAGE VALUE		5
(if available)	REQUIRED PRESENT	BELIEVED ABSENT	(1) CONCENTRATION (2) MASS		(1) CONCENTRATION (2) MASS	(2) MASS	(1) CONCENTRATION	κ̈́	ANALYSES	TRATION	b. MASS	(1) CONCENTRATION (2) MASS		ANALYSES
GC/MS FRACTION	GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS (continued)	MPOUND												
43B. N-Nitro- sodiphenylamine (86-30-6)		X												
44B. Phenanthrene (85-01-8)		X												
45B. Pyrene (129-00-0)		X												
46B. 1,2,4-Tri- chlorobenzene (120-82-1)		X												
GC/MS FRACTION - PESTICIDES	- PESTICIDES			-			-							
1P. Aldrin (309-00-2)		×												
2P. α-BHC (319-84-6)		×												
3P. β-BHC (319-85-7)		×												
4P. γ-BHC (58-89-9)		×												
5P. &-BHC (319-86-8)		×												
6P. Chlordane (57-74-9)		X												
7P. 4,4'-DDT (50-29-3)		X												
8P. 4,4'-DDE (72-55-9)		×												
9P. 4,4'-DDD (72-54-8)		×												
10P. Dieldrin (60-57-1)		\times				į								
11P. α-Enosulfan (115-29-7)		X												
12P. β-Endosulfan (115-29-7)		X												
13P. Endosulfan Sulfate (1031-07-8)		X												
14P. Endrin (72-20-8)		×												
15P. Endrin Aldehyde (7421-93-4)		×												
16P. Heptachlor (76-44-8)		\times												
EPA Form 3510-2C (8-90)	(8-90)					PAGE V-8	: ∨-8					CON	CONTINUE ON PAGE V-9	PAGE V-9

23P. PCB-1260 (11096-82-5) 24P. PCB-1016 (12674-11-2) 21P. PCB-1232 (11141-16-5) 22P. PCB-1248 (12672-29-6) 17P. Heptachlor Epoxide (1024-57-3) 18P. PCB-1242 (53469-21-9) 25P. Toxaphene (8001-35-2) 20P. PCB-1221 (11104-28-2) 19P. PCB-1254 (11097-69-1) 1. POLLUTANT AND CAS NUMBER (if available) GC/MS FRACTION - PESTICIDES (continued) CONTINUED FROM PAGE V-8 a. b. c.
TESTING BELIEVED BELIEVED
REQUIRED PRESENT ABSENT 2. MARK "X" CONCENTRATION (2) MASS CONCENTRATION (2) MASS a. MAXIMUM DAILY VALUE EPA I.D. NUMBER (copy from Item 1 of Form 1) 110008997032 b. MAXIMUM 30 DAY VALUE
(if available) 3. EFFLUENT CONCENTRATION (2) MASS ANALYSES TRATION OUTFALL NUMBER c. LONG TERM AVRG. VALUE (if available) 101 - Via 001 4. UNITS b. MASS CONCENTRATION (2) MASS ANALYSES 5. INTAKE (optional)
a. LONG TERM
AVERAGE VALUE

EPA Form 3510-2C (8-90)

FORM

NPDES

Form Approved. OMB No. 2040-0086 Approval expires 5-31-92

SEPA

U.S. Environmental Protection Agency Washington, DC 20460

Application for Permit to Discharge Storm Water Discharges Associated with Industrial Activity

Paperwork Reduction Act Notice

Public reporting burden for this application is estimated to average 28.6 hours per application, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate, any other aspect of this collection of information, or suggestions for improving this form, including suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, or Director, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

I. Outfall Location								
For each outfall, list th	ne latitude ar	nd longitude of	f its location t	o the nearest	15 seconds a	and the name	of the receiving water.	
A. Outfall Number (<i>list</i>)		B. Latitude			C. Longitude		D. Receiving Water (<i>name</i>)	
102 - Via 001	37	22	58	79	44	21	South Fork Goose Creek	
003	37	22	53	. 79	44	21	South Fork Goose Creek	
II. Improvements			_	_				

A. Are you now required by any Federal, State, or local authority to meet any implementation schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.

Final ance Date			. Affected Outfalls		Identification of Conditions,
b. proj	a. req.	Brief Description of Project	source of discharge	number	Agreements, Etc.
					A
	1			<u> </u>	
	 	•			
	- 	· · · · · · · · · · · · · · · · · · ·			
<u> </u>	1 1			 	
 	+ +			 	
ļ	 			+ + -	
 	+			+ +	
 	1		-	 .	· · · · · · · · · · · · · · · · · · ·
+	1			+	
-	++			1	
	+			<u> </u>	
				ļ	
	\bot			<u> </u>	
-					

B: You may attach additional sheets describing any additional water pollution (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

III. Site Drainage Map

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfalls(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each known past or present areas used for outdoor storage of disposal of significant materials, each existing structural control measure to reduce pollutants in storm water runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which received storm water discharges from the facility.

IV. Narrat	ive Description of Pollutant	Sources				
A. For each drained	n outfall, provide an estimate of the area (ind by the outfall.	alude units) of imperious surface	es (including p	naved areas and building roofs) drained to the outfall, and	d an estimate of the total surface are	a
Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)	Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)	
102 - Via 001	1.2 acres	1.2 acres	003	0.55 acres	0.55 acres	
storm w applied.	n water; method of treatment, storage vater runoff; materials loading and acc	e, or disposal; past and presences areas, and the location	sent materia n, manner, a	three years have been treated, stored or dispose als management practices employed to minimize and frequency in which pesticides, herbicides, soi	e contact by these materials with il conditioners, and fertilizers are	h
Petroleum	products are stored within a	iboveground storage t	tanks, an	d are not permitted to come into cont	act with stormwater.	
of any	ch outfall, provide the location and a tion of the treatment the storm water solid or fluid wastes other than by disc	receives, including the sche	ectural and redule and ty	nonstructural control measures to reduce polluta pe of maintenance for control and treatment mea	nts in storm water runoff; and a asures and the ultimate disposa	 a il
Outfall Number		Tr	reatment		List Codes from Table 2F-1	
102 - Via 001 003	Both dikes (outfall 102 - V	<i>l</i> ia 001 & 003 respect maintenance is all th	tivelv) a	o air, allowing for evaporation action iso discharge to surface waters (Sout guired on the dikes and outfall pipir	on. 1-F & 4-A	
V. Nonsto	rmwater Discharges					
A. I certify nonstor	under penalty of law hat the outfall(s mwater discharged from these outfall)) covered by this applicatio (s) are identified in either an	n have bee	n tested or evaluated for the presence of nonstoring Form 2C or From 2E application for the outfa	rmwater discharges, and that al	II
		ignature	- 0		Date Signed	
Michael Be	dwell, Terminal Manager	Milla	<u>) ((</u>	dwell	4/18/08	
B. Provide	a description of the method used, the	date of any testing, and the	e onsite dra	nage points that were directly observed during a	test.	
Regular vi	sual inspection of the diked	areas prior to open	ing dike	valves to allow discharges.		
	cant Leaks or Spills					
Provide ex approxima	xisting information regarding the histories the date and location of the spill or leak	ory of significant leaks or , and the type and amount	spills of tox of material r	ic or hazardous pollutants at the facility in the eleased.	last three years, including the	,
None.						_

EPA ID Number (copy from Item 1 of Form 1)

Continued from Page 2

VII. Discharge Information				
	oceeding. Complete one set of tables for each outfall re included on separate sheets numbers VII-1 and VI		ate the outfall number in the s	pace provided.
Potential discharges not covered by a currently use or manufacture as an interval.	analysis – is any toxic pollutant listed in table 2F-2 ermediate or final product or byproduct?	; 2F-3,	or 2F-4, a substance or a c	component of a substance which you
Yes (list all such pollutants t	below)		✓ No (go to Section IX)	
VIII. Biological Toxicity Testing [Data			
	believe that any biological test for acute or chronic to years?	oxicity h	as been made on any of you	r discharges or on a receiving water in
Outfall 003 ONLY -			ite (go to coolair ixt)	
IX. Contract Analysis Information Were any of the analyses reported in Item	VII performed by a contract laboratory or consulting	ductio	n evaluations become i	est utilizing Ceriodaphnia necessary.
Yes (list the name, address, analyzed by, each such	and telephone number of, and pollutants laboratory or firm below)		No (go to Section X)	
A. Name	B. Address		C. Area Code & Phone No.	D. Pollutants Analyzed
Air Water & Soil Laboratories, Inc.	2109-A North Hamilton Street, Richmond Virginia 23230	ί, 804	1.358.8295	Consistuents listed in Part VII (with exception of BOD)
Analytics Corporation	10329 Stony Run Lane, Ashland, Virgini 23005	.a. 804	1.365.3000	BOD
X. Certification				
that qualified personnel properly gather an directly responsible for gathering the infor there are significant penalties for submitting	ument and all attachments were prepared under my d evaluate the information submitted. Based on my mation, the information submitted is, to the best of g false information, including the possibility of fine an	inquiry o mv kna	of the person or persons who owledge and belief true, acc	manage the system or those persons
A. Name & Official Title (Type Or Print)			a Code and Phone No.	
Michael Bedwell, Terminal	Manager	(540) 947-2227 ———	
c. Signature La Re	dwell		e Signed 8/2008	

VII. Discharge information (Continued from page 3 of Form 2F)

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

	1	um Values ide units)		erage Values oclude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5 mg/L	N/A	<5 mg/L	N/A	3	Petroleum products stored
Biological Oxygen Demand (BOD5)	<2 mg/L	<2 mg/L	<2 mg/L	<2 mg/L	1	Petroleum products stored
Chemical Oxygen Demand (COD)	<10 mg/L	<10 mg/L	<10 mg/L	<10 mg/L	1	Petroleum products stored
Total Suspended Solids (TSS)	8.3 mg/L	8.5 mg/L	2.09 mg/L	N/A (1 Sampled)	10	Petroleum products stored
Total Nitrogen	3.3 mg/L	1.3 mg/L	3.3 mg/L	1.3 mg/L	1	Petroleum products stored
Total Phosphorus	<0.05 mg/L	<0.05 mg/L	<0.05 mg/L	<0.05 mg/L	1	Petroleum products stored
рН	Minimum 6.88	Maximum 9.8	Minimum	Maximum 8.27	10	Petroleum products stored

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

		ım Values de units)		age Values dude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
TOC	1.9 mg/L		0.72 mg/L		10	Petroleum products stored
TPH-(DRO)	<0.5 mg/L		<0.5 mg/L		7	Petroleum products stored
TPH-(GRO)	<0.5 mg/L		<0.5 mg/L		7	Petroleum products stored
Barium	0.019 mg/L		0.012 mg/L		3	Petroleum products stored
Hardness	72.4 mg/L		60.33 mg/L		3	Petroleum products stored
Lead	<0.01 mg/L(ND)		<0.01 mg/L		3	Petroleum products stored
Zinc	<0.01 mg/L(ND)		<0.01 mg/L		3	Petroleum products stored
Benzene	<10 ug/L (ND)		<10 ug/L		3	Petroleum products stored
Toluene	<10 ug/L(ND)		<10 ug/L		3	Petroleum products stored
Ethylbenzene	<10 ug/L(ND)		<10 ug/L		3	Petroleum products stored
m,p-Xylenes	<4 ug/L (ND)		<4 ug/L		3	Petroleum products stored
o-Xylene	<2 ug/L (ND)		<2 ug/L		3	Petroleum products stored
Xylene, Total	<6 ug/L (ND)		<6 ug/L		3	Petroleum products stored
Naphthalene	<6 ug/L (ND)		<6 ug/L		3	Petroleum products stored
Endosulfan I	<0.1 ug/L (ND)		<0.1 ug/L		3	Petroleum products stored
Endosulfan II	<0.04 ug/L(ND)		<0.04 ug/L		3	Petroleum products stored
Endo. Sulfate	<0.5 ug/L (ND)	-	<0.5 ug/L		2	Petroleum products stored
			 		<u> </u>	
	<u> </u>		ļ			
		<u>.</u>				

Continu	ied t	from	the	Fron	١

Part C - Lis	st each pollutant sho quirements. Complet	wn in Table 2F-2, 2F-3 e one table for each ou	, and 2F-4 that yo	ou know or have reason to	belie	eve is preser	nt. See the instru	ctions for additional details and
-	Maxim	um Values ide units)	Ave	erage Values	Ι.			
Pollutant and CAS Number	Grab Sample Taken During First 20	Flow-Weighted	Grab Sample Taken During First 20	clude units) Flow-Weighted	1	Number of Storm Events		
(if available)	Minutes	Composite	Minutes	Composite	S	Sampled	Sc	ources of Pollutants
							<u> </u>	
				-				
 								
					 			
					-			,
	_							
			-					
			···-·					
	<u> </u>							
				<u> </u>	-			
	-							
					-		. ====	-
			-	_				
							. , , ,	
	-							<u>.</u>
		-						
Part D - Pr	ovide data for the sto	orm event(s) which resu	Ited in the maximu	um values for the flow weig	ahted	composite s	sample	
1.	2.	3.		4.			5.	
Date of Storm Event	Duration of Storm Event (in minutes)	Total rain during storm (in inche	event	Number of hours betwe beginning of storm meas and end of previous measurable rain even	ured	rai (gallor	flow rate during in event as/minute or cify units)	6. Total flow from rain event (gallons or specify units)
02/06/08	~60	0.25		52.5		N/A		?
7 Provide a	description of the me	ethod of flow measurem	ent or estimate	· · ·				
		and of hor modernm	on or countage.					
_								

VII. Discharge information (Continued from page 3 of Form 2F)

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		um Values ide units)		erage Values oclude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5 mg/L	N/A	<5 mg/L	N/A	3	Petroleum products stored
Biological Oxygen Demand (BOD5)	<2 mg/L	<2 mg/L	<2 mg/L	<2 mg/L	1	Petroleum products stored
Chemical Oxygen Demand (COD)	<10 mg/L	<10 mg/L	<10 mg/L	<10 mg/L	1	Petroleum products stored
Total Suspended Solids (TSS)	26.5 mg/L	36.0 mg/L	7.42 mg/L	N/A (1 Sampled)	9	Petroleum products stored
Total Nitrogen	5.8 mg/L	2.6 mg/L	5.8 mg/L	2.6 mg/L	1	Petroleum products stored
Total Phosphorus	0.11 mg/L	0.07 mg/L	0.11 mg/L	0.07 mg/L	1	Petroleum products stored
pН	Minimum 6.89	Maximum 8.87	Minimum	Maximum 7.90	9	Petroleum products stored

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

	Maximum Values (include units)		Average Values (include units)		Number		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
TOC	2.3 mg/L		1.1 mg/L		9	Petroleum products stored	
TPH- (DRO)	<0.5 mg/L		<0.5 mg/L		6	Petroleum products stored	
TPH-(GRO)	<0.5 mg/L		<0.5 mg/L		6	Petroleum products stored	
Barium	0.043 mg/L		0.036 mg/L		3	Petroleum products stored	
Hardness	84.5 mg/L		68.1 mg/L		3	Petroleum products stored	
Lead	<0.01 mg/L(ND)		<0.01 mg/L		3	Petroleum products stored	
Zinc	0.025 mg/L(ND)		0.008 mg/L		3	Petroleum products stored	
Benzene	<1 ug/L (ND)		<1 ug/L		3	Petroleum products stored	
Toluene	<1 ug/L(ND)		<1 ug/L		3	Petroleum products stored	
Ethylbenzene	<1 ug/L(ND)		<1 ug/L		3	Petroleum products stored	
m,p-Xylenes	<4 ug/L (ND)		<4 ug/L		3	Petroleum products stored	
o-Xylene	<2 ug/L (ND)		<2 ug/L		3	Petroleum products stored	
Xylene, Total	<6 ug/L (ND)		<6 ug/L		3	Petroleum products stored	
Naphthalene	<6 ug/L (ND)		<6 ug/L		3	Petroleum products stored	

Continued from the Front

Part C - List each pollutant shown in Table 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. See the instructions for additional details and requirements. Complete one table for each outfall.												
	Maximum Values			Average Values								
Pollutant	(include units) Grab Sample		(include units) Grab Sample		Number of							
and CAS Number	Taken During First 20	Flow-Weighted	Taken During First 20	Flow-Weighted		Storm Events						
(if available)	Minutes	Composite	Minutes	Composite	s	ampled	Sc	ources of Poliutants				
					-							

,												
	, , <u>, , , , , , , , , , , , , , , , , </u>		***	,			_					
			•									
	-	-										
						,	_					
					_		*					
<u> </u>												
								-				
					ļ <u>.</u>							
			-,,					·				
						,						
							-					
Part D - Pr	ovide data for the sto	orm event(s) which resu	Ited in the maxim	um values for the flow weig								
1.	2.	3.		4. Number of hours betwe	en		5. flow rate during	6.				
Date of Storm	Duration of Storm Event	Total rainfall during storm event (in inches)		beginning of storm measured and end of previous measurable rain event		rain event (gallons/minute or specify units)		Total flow from rain event				
Event	(in minutes)							(gallons or specify units)				
9/14/2007	540	0.91		68	N/A			?				
		l .										
7. Provide a description of the method of flow measurement or estimate.												